




## Profile kasetonowe




WYMIARY (mm)					OBWÓD (mm)	WAGA (kg/m)	NR PROFILU
B	C	D	A	r <sub>2min</sub>			
80	8,2	5	1,6	0,5	279,62	0,62	73009
100	12,5	3,5	1,8	0,5	293,50	0,76	73008
100	12,5	3,5	1,8	4	330,84	0,84	73011
100	11	3,5	1,7	0,5	275,97	0,63	73016
139	20,5	6	1,8	6	614,46	1,57	73010
139	20,5	6,2	1,8	0,5	605,33	1,46	73017
139	20,5	6,2	1,8	0,5	610,09	1,57	73007
160	18	4,5	2	0,5	499,05	1,50	73012
180	23	5	2,2	0,5	591,58	1,79	73013
180	23	6,3	2,2	0,5	594,70	1,81	73015


## Profile specjalnego przeznaczenia




72001  
0,08 kg/m  
obwód 33,05 mm




72002  
0,09 kg/m  
obwód 38,88 mm




72003  
0,12 kg/m  
obwód 45,23 mm




72004  
0,18 kg/m  
obwód 52,05 mm




72005  
0,18 kg/m  
obwód 47,77 mm




72006  
0,20 kg/m  
obwód 53,71 mm




72008  
0,23 kg/m  
obwód 64,79 mm




72007  
0,34 kg/m  
obwód 85,69 mm




72018  
0,46 kg/m  
obwód 147,91 mm




72009  
0,12 kg/m  
obwód 67,84 mm




72010  
0,14 kg/m  
obwód 53,34 mm




72011  
0,16 kg/m  
obwód 70,32 mm




72012  
0,18 kg/m  
obwód 67,16 mm




72013  
0,33 kg/m  
obwód 95,35 mm



72014  
0,14 kg/m  
obwód 50,36 mm




72015  
0,29 kg/m  
obwód 83,24 mm




72016  
0,26 kg/m  
obwód 81,43 mm




72017  
0,24 kg/m  
obwód 90,82 mm




73014  
0,18 kg/m  
obwód 93,80 mm




73002  
0,30 kg/m  
obwód 120,86 mm




73003  
0,18 kg/m  
obwód 82,06 mm




73004  
0,14 kg/m  
obwód 62,26 mm




73005  
0,24 kg/m  
obwód 123,61 mm




73006  
0,19 kg/m  
obwód 178,46 mm




73001  
0,14 kg/m  
obwód 59,99 mm




74001  
0,12 kg/m  
obwód 54,58 mm




74002  
0,06 kg/m  
obwód 44,32 mm




74003  
0,18 kg/m  
obwód 66,28 mm




74004  
0,12 kg/m  
obwód 75,48 mm




74005  
0,17 kg/m  
obwód 110,23 mm




71007  
1,18 kg/m  
obwód 266,25 mm




74006  
0,17 kg/m  
obwód 91,20 mm




91030  
0,36 kg/m  
obwód 99,48 mm




10295  
0,14 kg/m  
obwód 43,74 mm




20515  
0,42 kg/m  
obwód 200,95 mm




72021  
0,33 kg/m  
obwód 88,13 mm



WYMIARY (mm)				OBWÓD (mm)	WAGA (kg/m)	NR PROFILU	
B	C	D	A	Gb			
20	20	14	1,2	3,5	77,42	0,31	71002
30	30	21	1,5	6,3	116,57	0,62	71005
46	46	33	2,7	6,3	179,71	1,41	71001
23	50	40	2	6,3	142,57	0,90	71003



WYMIARY (mm)				OBWÓD (mm)	WAGA (kg/m)	NR PROFILU
B	C	A	Gb			
22	11,4	1,6	4,8	69,12	0,43	71004



WYMIARY (mm)			OBWÓD (mm)	WAGA (kg/m)	NR PROFILU
B	A	Gb			
40	1,7	6,3	125,66	0,72	71006

